


## DESIGN DATA

### 1964 Design Data Cross-Index

Issue	Date	Page
Area and Weight of Tubing . . . . .	Nov. 11	123
Axial and Transverse Loads, Simultaneous . . . . .	May 13	119
Bars, Parallel, System of . . . . .	Mar. 4	56
Bars, Torsion, Nomograms for Design of . . . . .	Dec. 9	158
Beam Load, Concentrated, Off-Center . . . . .	Apr. 29	188
Beams, Circular Cantilever, Loaded Normal to the Plane of Curvature . . . . .	Sept. 16	136
Beams, Circular Cantilever, with Out-of-Plane Loading . . . . .	Aug. 5	84
Bolt Loads, Determination of . . . . .	July 8	44
Castings, Steel, Design of . . . . .	Jan. 8	62
Centrifugal Force Nomogram . . . . .	Jan. 8	67
Circle, Trig Function Reference . . . . .	Apr. 1	93
Circles into Squares, Fitting . . . . .	Oct. 28	162
Circular Cantilever Beams, Loaded Normal to the Plane of Curvature . . . . .	Sept. 16	136
Circular Cantilever Beams with Out-of-Plane Loading . . . . .	Aug. 5	84
Circular Cross-Sections, Fitting in Other Configurations . . . . .	Dec. 9	165
Compressible Fluids, Impluse Forces Caused by Moving . . . . .	July 22	120
Compressible Gas Flow Rates . . . . .	Apr. 29	182
Compression Springs, Nested, Design of . . . . .	Apr. 1	88
Cone, Volume of a Frustum of a . . . . .	Aug. 19	86
Cross-Sections, Circular, Fitting in Other Configurations . . . . .	Dec. 9	165
Deflection, Minimum, Design of Long Spindles for . . . . .	May 27	90
Deflection, Rotational, of Stepped Shafts . . . . .	Oct. 28	152
Design of Long Spindles for Minimum Deflection . . . . .	May 27	90
Design of Nested Compression Springs . . . . .	Apr. 1	88
Design of Steel Castings . . . . .	Jan. 8	62
Designing Similar Machines . . . . .	June 24	150
Determination of Bolt Loads . . . . .	July 8	44
Determining the Developed Length of Pipes . . . . .	Nov. 25	83
Dimensions of Shafts with Flats . . . . .	Sept. 2	46



## ANOTHER UNIQUE MARGIN OF FORMSPRAG

The margin of difference is *knowledge*. Because we're specialists in power transmission clutches, over the years we have accumulated a lot of knowledge, a lot of know-how, a lot of information about clutches . . . how to design them, how to select them, test them and evaluate them, how to build them, how to apply them.

We have compiled from our unique margin of difference in knowledge, information of significance to design engineers, and organized it into an exclu-

sive, new Design Portfolio. It's available upon request.

Our experience with different kinds of clutches—over-running, no-load start centrifugal, reverse locking—gives us other unique margins of difference. In the design of clutches, for example, Formsprag has produced exclusive new developments year after year: new seals, new sprag configurations, new clutch sizes and many others.

In building clutches too, we've pioneered unique margins of difference: new processes to improve




## DIFFERENCE IN CLUTCHES

performance; new procedures to improve order handling; new equipment to expedite deliveries.

And in applying clutches, we've created other unique margins of difference: we have a full time application Engineering Department to help you solve power transmission problems involving clutches.

It all adds up to exclusive knowledge in clutches . . . knowledge we offer to you in our Design Portfolio. It's yours for the asking.

### BE A CLUTCH EXPERT WITH THE EXCLUSIVE NEW FORMSPRAG



It contains these five valuable aids to help you understand the types, selection and application of clutches:

- 1 Types of Clutches** — Five descriptive sheets that explain the difference in over-running, indexing, back-stopping, no load start centrifugal and reverse locking clutches;
- 2 Clutch Catalogs**—Three complete Formsprag clutch catalogs including size, rating, performance and dimensional data for all models, plus service factors, bore sizes and auxiliary equipment;
- 3 Application Folio**—Eighteen typical power transmission problems and application solutions achieved with Formsprag clutches, to show the variety and scope available;
- 4 Application Service**—An invitation to use the Formsprag Application Engineering Department to help you solve a specific problem, and a return card for prompt action; and;
- 5 Designer's Templet**—A plastic tool to simplify sketching.

To obtain your Formsprag *Design Portfolio* promptly, write us a letter, or send the coupon below. There's no obligation.



PRECISION POWER  
TRANSMISSION PRODUCTS

23585 Hoover Road, Dept. 112, Warren, Michigan

Sales in Foreign Countries by Renold Chains, Ltd., England



Over-Running



Centrifugal



Reverse Locking

Gentlemen: Please send me the exclusive new Formsprag DESIGN PORTFOLIO.

Name \_\_\_\_\_

Title \_\_\_\_\_

Company \_\_\_\_\_

Address \_\_\_\_\_

City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Issue Date Page

Double Reduction Drive  
Ratios . . . . . Apr. 15 58

Finishes, Industrial, Nomogram  
for . . . . . Nov. 11 116  
Fitting Circles into Squares . . . Oct. 28 162  
Fitting Circular Cross-Sections in  
Other Configurations . . . . Dec. 9 165  
Flats, Dimensions of Shafts  
with . . . . . Sept. 2 46  
Flow Rates, Compressible Gas . . Apr. 29 182  
Fluids, Compressible, Impulse  
Forces Caused by Moving . . . July 22 120  
Force, Centrifugal,  
Nomogram . . . . . Jan. 8 67  
Forces, Impulse, Caused by  
Moving Compressible  
Fluids . . . . . July 25 120  
Four-Bar Linkage, Adjustable  
Graphical Synthesis of an . . . Mar. 18 145  
Frequencies, Natural, of a Three-  
Mass System . . . . . Sept. 30 104


Gas, Compressible, Flow  
Rates . . . . . Apr. 29 182  
Gas Flow System, Static  
Pressures in a . . . . . Aug. 19 87  
Gearing, Power Capacity of . . . June 10 66  
The Geometry of a  
Pipe Bend . . . . . Oct. 28 156  
Graphical Synthesis of an  
Adjustable Four-Bar  
Linkage . . . . . Mar. 18 145

Hydraulic Radii, Nomograms  
for . . . . . June 24 146

Impulse Forces Caused by  
Moving Compressible  
Fluids . . . . . July 22 120  
Industrial Finishes, Nomogram  
for . . . . . Nov. 11 116  
Inertia, Weight Moment of . . . Feb. 19 146  
Joint, Tubular, Thermal  
Stresses in a . . . . . July 22 124

Laminated Structures,  
Riveted . . . . . Mar. 18 140  
Law, Newton's Second . . . . Feb. 6 78  
Linkage, Four-Bar Adjustable,  
Graphical Synthesis of an . . . Mar. 18 145

(Continued on next page)



## The radiation-resistance of ROCKBESTOS wires and cables is far out: up to $10^{12}$ Roentgens

Even in the heart of the Van Allen Belt where ionization ranges from  $10^9$  to  $10^{11}$  Roentgens, a Rockbestos construction defies radiation. On earth this high degree of resistance will prove useful in industrial and nuclear application.

Six types are rated for  $10^{12}$  Roentgens: Micatemp, 3 Quartz Braid, Firezone III, Phosroc II, and Phosroc III shielded and jacketed. Other Rockbestos constructions range in radiation resistance from  $10^5$  Roentgens to  $10^{11}$  Roentgens.

In high temperature service from 800F. to 2000F., each is also meeting rigid electrical requirements in aircraft and missiles. Send for a bulletin describing Rockbestos wires and cables for heat and radiation resistance.

## ROCKBESTOS WIRE & CABLE CO.

Division of CERRO CORPORATION • New Haven 4, Connecticut  
Circle Service No. 44


### Data Index . . . cont

Issue	Date	Page
Loading, Out-of-Plane, Circular Cantilever Beams with . . . . .	Aug. 5	84
Loads, Simultaneous Axial and Transverse . . . . .	May 13	119
Machines, Similar, Designing . . . . .	June 24	150
Meterstick, Olympic . . . . .	Sept. 30	102
Moment of Inertia, Weight . . . . .	Feb. 19	146
Natural Frequencies of a Three-Mass System . . . . .	Sept. 30	104
Nested Compression Springs, Design of . . . . .	Apr. 1	88
Newton's Second Law . . . . .	Feb. 5	78
Nomogram for Industrial Finishes . . . . .	Nov. 11	110
Nomograms for Design of Torsion Bars . . . . .	Dec. 9	158
Nomograms for Hydraulic Radii . . . . .	June 24	146
Number, Reynolds . . . . .	Nov. 11	121
Off-Center Concentrated Beam Load . . . . .	Apr. 29	188
Olympic Meterstick . . . . .	Sept. 30	102
Parallel Bars, System of . . . . .	Mar. 4	56
Pipe Bend, the Geometry of a . . . . .	Oct. 28	156
Pipes, Determining the Developed Length of . . . . .	Nov. 25	83
Plates, Flat, Radial Stress and Deflection . . . . .	Nov. 25	80
Plates, Shells and, Reinforced by Ribs . . . . .	May 27	92
Power Capacity of Gearing . . . . .	June 10	55
Pressure Vessel, Spherical, Thickness . . . . .	Jan. 22	129
Pressures, Static, in a Gas Flow System . . . . .	Aug. 19	86
Radial Stress and Deflection of Flat Plates . . . . .	Nov. 25	80
Radii, Hydraulic, Nomograms for . . . . .	June 24	146
Rapid Solution of Triangles . . . . .	Oct. 14	84
Reduction Drive Ratios, Double . . . . .	Apr. 15	58
Response of a Two Mass System . . . . .	Jan. 22	125
Reynolds Number . . . . .	Nov. 11	121
Ribs, Shells and Plates Reinforced by . . . . .	May 27	92

## in Brazing


Look to Lucas  
for Ideas

# IT'S TIME TO BE SQUARE!



Try a square brazing washer. A square O.D. eliminates edge scrap. Since silver brazing alloys flow so well, the results can be good for the product and good for your costs.

### Another Cost Saving Washer Idea



Edgewound  
WASHERS

FROM WIRE STOCK

No lead time needed for dies or exact strip. Use with induction, gas-air, furnace, or other heating methods. Available in EASY FLO and SILFOS — Copper, Bronze, and other alloys. Dia. to 4" I.D. wire thicknesses from .010 upward.



Write for further information, and our Free 24 page Preform Brazing Handbook.


**LUCAS-MILHAUPT  
Engineering Co.**

3011 S. Pennsylvania Ave., Cudahy, Wisconsin  
414 • SHERIDAN 4-8700

Circle Service No. 45



**advanced  
design  
Lexington  
pneumatic  
regulator  
delivers  
99.99%  
accuracy**



A completely redesigned Lexington pneumatic servo regulator places a new dimension of accuracy in the pressure flow control of gases.

By "designing out" all parts contributing to regulator inaccuracy, the reliability of the Type 10 air gauge has been advanced to within a performance accuracy of 99.99%.

A unique "servo feed back feature" is the heart of the system which maintains a constant pressure balance. The actual value of regulated pressure — the pressure acting on the measuring diaphragm — is also the pneumatic servo supply pressure. It is impossible for the regulated pressure to vary from the supply pressure beyond extremely narrow limits.

Over 100,000 units are in successful operation.

Write for descriptive literature.

**Lexington Controls  
INCORPORATED®**

51 Blanchard Road, Burlington, Mass.  
BRowning 2-2100 MIssion 3-9000  
Teletype 617-272-0527

Circle Service No. 46

**Issue Date Page**

Riveted Laminated Structures . . . . . Mar. 18 140  
Rotational Deflection of  
Stepped Shafts . . . . . Oct. 28 152

Shafts, Dimensions of,  
with Flats . . . . . Sept. 2 46  
Shafts, Stepped, Rotational  
Deflection of . . . . . Oct. 28 152  
Shells and Plates Reinforced  
by Ribs . . . . . May 27 92  
Simultaneous Axial and  
Transverse Loads . . . . . May 13 119  
Specifications for Music  
Spring Wire . . . . . Jan. 22 124  
Spherical Pressure Vessel  
Thickness . . . . . Jan. 22 129  
Spindles, Long, Design of,  
for Minimum Deflection . . . . . May 27 90  
Spring Wire, Music,  
Specifications for . . . . . Jan. 22 124  
Springs, Nested Compression,  
Design of . . . . . Apr. 1 88  
Squares, Fitting Circles into . . . . . Oct. 28 162  
Static Pressures in a Gas Flow  
System . . . . . Aug. 19 87  
Steel Castings, Design of . . . . . Jan. 8 62  
Stress and Deflection, Radial, of  
Flat Plates . . . . . Nov. 25 80  
Stresses, Temperature, Caused by  
External Constraint . . . . . Jan. 8 68  
Stresses, Thermal, in a Tubular  
Joint . . . . . July 22 124  
System of Parallel Bars . . . . . Mar. 4 56  
Temperature Stresses Caused by  
External Constraint . . . . . Jan. 8 68  
Thermal Stresses in a Tubular Joint . . . . . July 22 124  
Three-Mass System, Natural  
Frequencies of a . . . . . Sept. 30 104  
Torsion Bars, Nomograms for  
Design of . . . . . Dec. 9 158  
Torsional Vibration . . . . . May 13 116  
Transverse Loads, Simultaneous  
Axial and . . . . . May 13 119  
Triangles, Rapid Solution of . . . . . Oct. 14 84  
Trig Function Reference  
Circle . . . . . Apr. 1 93  
Tubing, Area and Weight of . . . . . Nov. 11 123  
Tubular Joint, Thermal Stresses  
in a . . . . . July 22 124  
Two Mass System, Response of a . . . . . Jan. 22 125

Vessel, Spherical Pressure,  
Thickness . . . . . Jan. 22 129  
Vibration, Torsional . . . . . May 13 116  
Volume of a Frustum of a Cone . . . . . Aug. 19 86

Weight Moment of Inertia . . . . . Feb. 19 146  
Wire, Music Spring,  
specifications for . . . . . Jan. 22 124

**Maxitorq**

**SERIES  
9000**

**ELECTRIC CLUTCHES AND BRAKES**



*a design  
feature of  
JONES & LAMSON  
Automatic Form Grinder*

This is another typical example of a major machine tool builder who has specified MAXITORQ Series 9000 Electric Clutches and Brakes for reliable power transmission on a fully automated precision machine.

Incorporating advanced design principles proved through years of service, the MAXITORQ Electric Clutch is well adapted to all types of machine drives. Simple in design . . . built to machine tool standards . . . requires no adjustments, can be used either as a clutch or brake. Disc separators not only separate discs, but also break up residual magnetism and result in extremely fast, positive action with no drag or heating in neutral. There are few moving parts. Electrical operating unit remains stationary — hence, no troublesome slip rings, brushes, or difficult wiring problems. Operation is on standard 100 V d.c. Other voltages on special order.

If you have a clutch or brake application where you are looking for NEW and IMPROVED performance, we invite you to bring the problem to us. Phone, wire, or write Dept. DN for Bulletin No. 90.

**Special features**

Engaged entirely by magnetic flux • Operate either on-off or by varying voltage for torque control • NO troublesome slip rings, or brushes • NO levers, cams, or other highly stressed mechanical parts • Operation is not dependent upon rotation • Finished complete, assembled, and ready to install on shaft.



**THE CARLYLE JOHNSON COMPANY**  
Mansfield, Connecticut

Circle Service No. 47